Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (sub adj2network\$2 or (subnetwork\$2)) and ((calculat\$3 or determin\$3 or measur\$4) with bandwidth with directions)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 16:10
L5	857	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (sub adj2 network\$2 or (subnetwork\$2)) and ((calculat\$3 or determin\$3 or measur\$4) with bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 16:10
L6	629	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (sub adj2 network\$2 or (subnetwork\$2)) and ((calculat\$3 or determin\$3 or measur\$4) with bandwidth) and ((send\$4 or transmit\$4) with packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2007/10/29 16:11
L7	27	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (sub adj2 network\$2 or (subnetwork\$2)) and ((calculat\$3 or determin\$3 or measur\$4) with bandwidth with delay) and ((send\$4 or transmit\$4) with packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 16:26
L8	366	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (request\$3 with packet size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 16:29
L9	4	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (request\$3 with chang\$4 near4 packet size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 17:10

1.10		(@ad < 20020210 az	HC DCDHD	AD3	OFF	2007/10/29 17:57
L10	67	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (request\$3 with test packet\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 17:57
L11	6350	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$2 or determin\$3 or measur\$5) with (offline or off line))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 17:58
L12	269	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$2 or determin\$3 or measur\$5) with (offline or off line)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 17:58
L13	12	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$2 or determin\$3 or measur\$5) with (offline or off line) with bandwidth) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 17:59
S1	0	3701/253.clas. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 20:50
S2	0	370/253.clas. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 20:51
S3	326	370/253.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ ·	OFF	2007/10/28 21:07

S4	2697	370/252.ccls. and	US-PGPUB;	ADJ	OFF	2007/10/28 21:33
	2037	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	, , , ,		
S5	0	370/25233.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 16:08
S6	149	370/233.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 20:52
S7	35	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (measur\$4 with delay with packet\$2) same ((determin\$5 or calculat\$3) with bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:31
S8	3	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (measur\$4 with delay with packet\$2).ab. and (timestamp) and ((deriv\$4 or determin\$5 or caculat\$5) with (bandwidth or capacity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:03
S9	59	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((measur\$4 with delay with packet\$2) or ((deriv\$4 or determin\$5 or caculat\$5) with (bandwidth or capacity))).ab. and (timestamp) and ((deriv\$4 or determin\$5 or caculat\$5) with (bandwidth or capacity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:04

S10	716	370/232.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:07
S11	26	370/232.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (calculat\$3 with bandwidth) and (measure\$2 with (delay\$2 or interval\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:16
S12	0	370/232.ccls. and (@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (calculat\$3 with bandwidth) and (measure\$2 with (jitter\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:17
S13	71	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and (calculat\$3 with bandwidth) and (measure\$2 with (jitter\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:26
S14	0	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$3 with bandwidth) and (measure\$2 with (jitter\$2))).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:17
S15	0	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$3 or measur\$4) with bandwidth with (delay or (trip time) or jitter)).ti. and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:27

S16	14	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((calculat\$3 or measur\$4) with bandwidth with (delay or (trip time) or jitter)).ab. and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:27
S17	30	("6064653" "6091733" "6195046" "6215772" "6243761" "6259699" "6266337").PN. OR ("6757255").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 21:30
S18	4	S4 and ((measur\$4 or calculat\$4) with bandwidth).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:36
S19	35	S4 and ((measur\$4 or calculat\$4) with bandwidth).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/28 21:36
S20	2	"US 6850541"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/10/28 21:40
S21	8	("6115357" "6201791" "6363429" "6477168" "6498782" "6580694" "6625122" "6646996").PN. OR ("6850541"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/28 21:40
S22	8	("6115357" "6201791" "6363429" "6477168" "6498782" "6580694" "6625122" "6646996").PN. OR ("6850541"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/29 10:59
S23	1434	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((measur\$5 or determin\$5 or calculat\$5) with bandwidth with time) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:33

	<u> </u>			I		
S24	119	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((measur\$5 or determin\$5 or calculat\$5) with bandwidth with time) and "370".clas. and (sub near2 network\$2 or (subnetwork\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:34
S25	167	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlad<="20030319") and ((measur\$5 or determin\$5 or calculat\$5) with bandwidth with time with number with (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2)) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:35
S26	92	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlad<="20030319") and ((measur\$5 or determin\$5 or calculat\$5) with bandwidth with time with number near3 (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2)) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:39
S27	27	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlad<="20030319") and ((measur\$5 or calculat\$5) near3 bandwidth with time with number near3 (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:45
S28	5	("5533009" "5675576" "5754530" "5805599" "5889761").PN. OR ("7103050"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/29 13:43

S29	0	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or	US-PGPUB; USPAT; FPRS;	ADJ	OFF	2007/10/29 13:46
		@rlad<="20030319" or @rlpn<="20030319") and ((measur\$5 or calculat\$5) near3 bandwidth) same (transit time) same (number near3 (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2))	EPO; JPO; DERWENT; IBM_TDB			
S30	8	(@ad<="20030319" or @pd<="20030319" or @rlan<="20030319" or @rlad<="20030319" or @rlpn<="20030319") and ((measur\$5 or calculat\$5) near3 bandwidth) same (trip or transit) same (number near3 (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/29 13:47
S31	30	("6064653" "6091733" "6195046" "6215772" "6243761" "6259699" "6266337").PN. OR ("6757255").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/29 13:48